



# **Nuxeo | Hyland Accessibility Conformance Report International Edition**

**(Based on VPAT® Version 2.4)**

**Name of Product/Version:**

**Nuxeo Web UI for LTS 2021, version 3.0.15**

**Report Date:**

**2022-09**

**Product Description:**

**User interface for Nuxeo Platform that leverages the Web technologies.**

**Contact Information:**

**[bertrand.chauvin@hyland.com](mailto:bertrand.chauvin@hyland.com) (Product Manager)**

## **Notes:**

**Testing is done on Nuxeo Web UI's default configuration and theme.**

## **Evaluation Methods Used:**

- **Automated and manual testing done by an independent company**
- **Internal testing with assistive technologies**
- **General product knowledge**

# Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
<a href="#">Web Content Accessibility Guidelines 2.0</a>	Level A: Yes Level AA: Yes Level AAA: No
<a href="#">Web Content Accessibility Guidelines 2.1</a>	Level A: Yes Level AA: Yes Level AAA: No
<a href="#">Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018</a>	Yes
<a href="#">EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe, - V3.1.1 (2019-11)</a>	Yes

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

## WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

## Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.1.1 Non-text Content</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.1.1 (Web)</li> <li>• 10.1.1.1 (Non-web document)</li> <li>• 11.1.1.1.1 (Open Functionality Software)</li> <li>• 11.1.1.1.2 (Closed Functionality Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Partially supports</p>	<p>Nuxeo Web UI misses a dynamic description on the charts shown in the analytics page that is only available to administrators. This issue is tracked under <a href="#">WEBUI-522</a>.</p> <p>Some icons present purely for visual reasons (e.g., navigation breadcrumb icon and icons for buttons in the creation form) are detected by automated testing tools despite having an aria-hidden attribute defined. We consider these false positives.</p>
<p><b><u>1.2.1 Audio-only and Video-only (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.1 (Web)</li> <li>• 10.1.2.1 (Non-web document)</li> <li>• 11.1.2.1.1 (Open Functionality Software)</li> <li>• 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Partially supports</p>	<p>Nuxeo Web UI does not provide any prerecorded media.</p> <p>The elements used support multiple sources so that users can benefit from captions, and descriptive content can be provided as a metadata of the document.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.2.2 Captions (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.2 (Web)</li> <li>• 10.1.2.2 (Non-web document)</li> <li>• 11.1.2.2 (Open Functionality Software)</li> <li>• 11.1.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Nuxeo Web UI does not provide any prerecorded media. Video elements are used to preview user provided content and the user is able to support it with various techniques, including <a href="#">G8</a>, <a href="#">G93</a>, <a href="#">G54</a>, <a href="#">G56</a>.</p>
<p><b><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.3 (Web)</li> <li>• 10.1.2.3 (Non-web document)</li> <li>• 11.1.2.3.1 (Open Functionality Software)</li> <li>• 11.1.2.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Nuxeo Web UI does not provide any prerecorded media. Video elements are used to preview user provided content and the user can support it with various techniques, including <a href="#">G8</a>, <a href="#">G93</a>, <a href="#">G54</a>, <a href="#">G56</a>.</p>
<p><b><u>1.3.1 Info and Relationships</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.1 (Web)</li> <li>• 10.1.3.1 (Non-web document)</li> </ul>	<p>Web: Partially supports</p>	<p>Information, structure, and relationships conveyed through presentation can be programmatically determined for most of the application. Some exceptions are identified and tracked under <a href="#">WEBUI-212</a>.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 11.1.3.1.1 (Open Functionality Software)</li> <li>• 11.1.3.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b>1.3.2 Meaningful Sequence</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.2 (Web)</li> <li>• 10.1.3.2 (Non-web document)</li> <li>• 11.1.3.2.1 (Open Functionality Software)</li> <li>• 11.1.3.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Partially supports	When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined for most of the application.
<p><b>1.3.3 Sensory Characteristics</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.3 (Web)</li> <li>• 10.1.3.3 (Non-web document)</li> <li>• 11.1.3.3 (Open Functionality Software)</li> <li>• 11.1.3.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> </ul>	Web: Supports	When sensory characteristics are used to convey meaning, additional textual information is also provided. Examples are buttons colors with action text inside, favorite and lock actions (active or not) with contextual tooltip, form input errors with related messages.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b>1.4.1 Use of Color</b> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.1.4.1 (Web)</li> <li>• 10.1.4.1 (Non-web document)</li> <li>• 11.1.4.1 (Open Functionality Software)</li> <li>• 11.1.4.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Partially supports	When color is used to provide meaning, other clues like stroke width and border are added.  A couple of exceptions are identified and tracked under <a href="#">WEBUI-482</a> and <a href="#">WEBUI-513</a> .
<p><b>1.4.2 Audio Control</b> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.1.4.2 (Web)</li> <li>• 10.1.4.2 (Non-web document)</li> <li>• 11.1.4.2 (Open Functionality Software)</li> <li>• 11.1.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Not applicable	There is no auto started audio.



Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.1.1 Keyboard</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.1 (Web)</li> <li>• 10.2.1.1 (Non-web document)</li> <li>• 11.2.1.1.1 (Open Functionality Software)</li> <li>• 11.2.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Partially supports</p>	<p>Most of the application can be operated using the keyboard only. Some exceptions are identified and tracked under <a href="#">WEBUI-551</a>.</p>
<p><a href="#">2.1.2 No Keyboard Trap</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.2 (Web)</li> <li>• 10.2.1.2 (Non-web document)</li> <li>• 11.2.1.2 (Open Functionality Software)</li> <li>• 11.2.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Partially supports</p>	<p>Most of the application supports moving focus away from a particular element when using a keyboard only.</p> <p>An exception is identified:</p> <ul style="list-style-type: none"> <li>- a couple of icons in the actions overflow menu when using the default configuration: tracked under <a href="#">WEBUI-484</a></li> </ul>
<p><a href="#">2.1.4 Character Key Shortcuts</a> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.4 (Web)</li> <li>• 10.2.1.4 (Non-web document)</li> </ul>	<p>Web: Partially supports</p>	<p>Except for a few actions, Nuxeo Web UI does not use single key shortcuts. Exceptions are tracked under <a href="#">WEBUI-541</a>.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 11.2.1.4.1 (Open Functionality Software)</li> <li>• 11.2.1.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply		
<p><b>2.2.1 Timing Adjustable</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.2.1 (Web)</li> <li>• 10.2.2.1 (Non-web document)</li> <li>• 11.2.2.1 (Open Functionality Software)</li> <li>• 11.2.2.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	The only case for time limit is the due date for a workflow task, where time is essential for the activity. This case is an "Essential Exception".
<p><b>2.2.2 Pause, Stop, Hide</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.2.2 (Web)</li> <li>• 10.2.2.2 (Non-web document)</li> <li>• 11.2.2.2 (Open Functionality Software)</li> <li>• 11.2.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> </ul>	Web: Supports	There is no automatically updated content or moving, blinking, scrolling that relates to this category in Nuxeo Web UI.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>602.3 (Support Docs)</li> </ul>		
<p><b>2.3.1 Three Flashes or Below Threshold</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.3.1 (Web)</li> <li>10.2.3.1 (Non-web document)</li> <li>11.2.3.1 (Open Functionality Software)</li> <li>11.2.3.1 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports	There is no element that flashes in the Nuxeo Web UI.
<p><b>2.4.1 Bypass Blocks</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.1 (Web)</li> <li>10.2.4.1 (Non-web document) – Does not apply</li> <li>11.2.4.1 (Open Functionality Software) – Does not apply</li> <li>11.2.4.1 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software) – Does not apply to non-web software</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Web: Supports	Nuxeo Web UI uses the <a href="#">technique SCR28</a> to support this item. The repeated menu and drawer are collapsible in order to provide a fast way for the user to access the main content.
<p><b>2.4.2 Page Titled</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Web: Supports	Web pages have titles that describe topic or purpose.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 9.2.4.2 (Web)</li> <li>• 10.2.4.2 (Non-web document)</li> <li>• 11.2.4.2 (Open Functionality Software) - Does not apply</li> <li>• 11.2.4.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b><u>2.4.3 Focus Order</u></b> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.3 (Web)</li> <li>• 10.2.4.3 (Non-web document)</li> <li>• 11.2.4.3 (Open Functionality Software)</li> <li>• 11.2.4.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Partially supports	<p>Focusable components receive focus in an order that preserves meaning and operability when the navigation sequences affect meaning or operation.</p> <p>An exception is identified: when closing a modal, focus returns to the page and not on the element that triggered the opening of the modal. This issue is tracked under <a href="#">WEBUI-486</a>.</p>
<p><b><u>2.4.4 Link Purpose (In Context)</u></b> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.4 (Web)</li> <li>• 10.2.4.4 (Non-web document)</li> <li>• 11.2.4.4 (Open Functionality Software)</li> <li>• 11.2.4.4 (Closed Software)</li> </ul>	Web: Supports	The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><a href="#">2.5.1 Pointer Gestures</a> (Level A 2.1 only)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.2.5.1 (Web)</li> <li>• 10.2.5.1 (Non-web document)</li> <li>• 11.2.5.1 (Open Functionality Software)</li> <li>• 11.2.5.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Web: Supports	Nuxeo Web UI does not have multi-point or path-based gestures by default.
<p><a href="#">2.5.2 Pointer Cancellation</a> (Level A 2.1 only)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.2.5.2 (Web)</li> <li>• 10.2.5.2 (Non-web document)</li> <li>• 11.2.5.2 (Open Functionality Software)</li> <li>• 11.2.5.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Web: Supports	When users can execute an action using drag and drop, a mechanism is available to abort the function before completion or to undo the function after completion.
<p><a href="#">2.5.3 Label in Name</a> (Level A 2.1 only)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.2.5.3 (Web)</li> </ul>	Web: Partially Supports	Icons have an accessible name that can be programmatically determined and matches the tooltip. No images of text are used in the product.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 10.2.5.3 (Non-web document)</li> <li>• 11.2.5.3.1 (Open Functionality Software)</li> <li>• 11.2.5.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>		<p>An exception is identified for column settings checkboxes when using the table view in listings and tracked under <a href="#">WEBUI-890</a>.</p>
<p><b>2.5.4 Motion Actuation</b> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.4 (Web)</li> <li>• 10.2.5.4 (Non-web document)</li> <li>• 11.2.5.4 (Open Functionality Software)</li> <li>• 11.2.5.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p>	<p>Nuxeo Web UI does not use motion to initiate actions/events/functionality.</p>
<p><b>3.1.1 Language of Page</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.1.1 (Web)</li> <li>• 10.3.1.1 (Non-web document)</li> <li>• 11.3.1.1.1 (Open Functionality Software)</li> <li>• 11.3.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Language is set by the browser and can be programmatically determined. If language is not available, it will default to English.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b>3.2.1 On Focus</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.1 (Web)</li> <li>• 10.3.2.1 (Non-web document)</li> <li>• 11.3.2.1 (Open Functionality Software)</li> <li>• 11.3.2.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	No context change is initiated when a component receives focus.
<p><b>3.2.2 On Input</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.2 (Web)</li> <li>• 10.3.2.2 (Non-web document)</li> <li>• 11.3.2.2 (Open Functionality Software)</li> <li>• 11.3.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Nuxeo Web UI uses <a href="#">technique G80</a> and provides submit buttons before initiating a change of context.
<p><b>3.3.1 Error Identification</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.1 (Web)</li> <li>• 10.3.3.1 (Non-web document)</li> </ul>	Web: Supports	Nuxeo Web UI uses <a href="#">technique ARIA-21</a> .

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 11.3.3.1.1 (Open Functionality Software)</li> <li>• 11.3.3.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b>3.3.2 Labels or Instructions</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.2 (Web)</li> <li>• 10.3.3.2 (Non-web document)</li> <li>• 11.3.3.2 (Open Functionality Software)</li> <li>• 11.3.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Partially supports	Labels or instructions are provided when content requires user input. A couple of exceptions are identified and tracked under <a href="#">WEBUI-489</a> and <a href="#">WEBUI-490</a> .
<p><b>4.1.1 Parsing</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.1 (Web)</li> <li>• 10.4.1.1 (Non-web document)</li> <li>• 11.4.1.1.1 (Open Functionality Software)</li> <li>• 11.4.1.1.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> </ul>	Web: Supports	<p>Nuxeo Web UI uses a web standard called web components: <a href="https://github.com/w3c/webcomponents">https://github.com/w3c/webcomponents</a></p> <p>This can lead to false positives on duplicate IDs when using an automated testing tool, although the markup is valid.</p>



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><a href="#">4.1.2 Name, Role, Value</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.2 (Web)</li> <li>• 10.4.1.2 (Non-web document)</li> <li>• 11.4.1.2.1 (Open Functionality Software)</li> <li>• 11.4.1.2.2 (Closed Software) – Not required</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Partially supports</p>	<p>For our user interface components, the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.</p> <p>Some exceptions are identified and tracked under <a href="#">WEBUI-567</a>. The bulk of them come from three elements:</p> <ul style="list-style-type: none"> <li>• nuxeo-data-table</li> <li>• nuxeo-selectivity</li> <li>• nuxeo-date-picker</li> </ul>

## Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.2.4 Captions (Live)</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.4 (Web)</li> <li>• 10.1.2.4 (Non-web document)</li> <li>• 11.1.2.4 (Open Functionality Software)</li> <li>• 11.1.2.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Not applicable</p>	<p>Nuxeo Web UI does not deal with live media.</p>
<p><a href="#">1.2.5 Audio Description (Prerecorded)</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.5 (Web)</li> <li>• 10.1.2.5 (Non-web document)</li> <li>• 11.1.2.5 (Open Functionality Software)</li> <li>• 11.1.2.5 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Nuxeo Web UI does not provide any videos or media but allows users to use any available techniques to add audio description.</p>
<p><a href="#">1.3.4 Orientation</a> (Level AA 2.1 only)</p>	<p>Web: Supports</p>	<p>Nuxeo Web UI does not restrict the usage orientation.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.4 (Web)</li> <li>• 10.1.3.4 (Non-web document)</li> <li>• 11.1.3.4 (Open Functionality Software)</li> <li>• 11.1.3.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>		
<p><a href="#">1.3.5 Identify Input Purpose</a> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.5 (Web)</li> <li>• 10.1.3.5 (Non-web document)</li> <li>• 11.1.3.5.1 (Open Functionality Software)</li> <li>• 11.1.3.5.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Does not support</p>	<p>The underlying technology used by Nuxeo Web UI supports identifying the expected meaning for form input data. However, the autocomplete property is not exposed by Nuxeo Web UI default widgets. This issue is tracked under <a href="#">WEBUI-493</a>.</p>
<p><a href="#">1.4.3 Contrast (Minimum)</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.3 (Web)</li> <li>• 10.1.4.3 (Non-web document)</li> <li>• 11.1.4.3 (Open Functionality Software)</li> <li>• 11.1.4.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> </ul>	<p>Web: Partially supports</p>	<p>The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for large text (contrast ratio of at least 3:1), incidental elements and logotypes.</p> <p>Some exceptions are identified and tracked under <a href="#">WEBUI-525</a>.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		
<p><b>1.4.4 Resize text</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.4 (Web)</li> <li>10.1.4.4 (Non-web document)</li> <li>11.1.4.4.1 (Open Functionality Software)</li> <li>11.1.4.4.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports	Text is resizable without loss of content or functionality.
<p><b>1.4.5 Images of Text</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.5 (Web)</li> <li>10.1.4.5 (Non-web document)</li> <li>11.1.4.5.1 (Open Functionality Software)</li> <li>11.1.4.5.2 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports	No image text is used to convey information.
<p><b>1.4.10 Reflow</b> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Web: Partially supports	Content can be presented without loss of information or functionality, and without requiring scrolling in two

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 9.1.4.10 (Web)</li> <li>• 10.1.4.10 (Non-web document)</li> <li>• 11.1.4.10 (Open Functionality Software)</li> <li>• 11.1.4.10 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply		<p>dimensions for vertical scrolling content at a width equivalent to 320 CSS pixels; horizontal scrolling content at a height equivalent to 256 CSS pixels. Except for parts of the content which require two-dimensional layout for usage or meaning.</p> <p>Some exceptions are identified and tracked under <a href="#">WEBUI-543</a>.</p>
<p><b><a href="#">1.4.11 Non-text Contrast</a></b> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.11 (Web)</li> <li>• 10.1.4.11 (Non-web document)</li> <li>• 11.1.4.11 (Open Functionality Software)</li> <li>• 11.1.4.11 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Web: Partially supports	<p>User interface components and graphical objects have a contrast ratio of at least 3:1 against adjacent color(s).</p> <p>Some exceptions are identified and tracked under <a href="#">WEBUI-525</a>.</p>
<p><b><a href="#">1.4.12 Text Spacing</a></b> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.12 (Web)</li> <li>• 10.1.4.12 (Non-web document)</li> <li>• 11.1.4.12 (Open Functionality Software)</li> <li>• 11.1.4.12 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Web: Partially supports	<p>Nuxeo Web UI adheres to <a href="#">design guidelines</a> promoting accessibility. Some exceptions are identified and tracked under <a href="#">WEBUI-498</a>.</p>
<p><b><a href="#">1.4.13 Content on Hover or Focus</a></b> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Web: Partially supports	<p>Where receiving and then removing pointer hover or keyboard focus triggers additional content to become</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 9.1.4.13 (Web)</li> <li>• 10.1.4.13 (Non-web document)</li> <li>• 11.1.4.13 (Open Functionality Software)</li> <li>• 11.1.4.13 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>		<p>visible and then hidden, it is dismissible, hoverable, persistent.</p> <p>An exception is identified on the nuxeo-tooltip element and is tracked under <a href="#">WEBUI-504</a>.</p>
<p><b>2.4.5 Multiple Ways</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.5 (Web)</li> <li>• 10.2.4.5 (Non-web document) – Does not apply</li> <li>• 11.2.4.5 (Open Functionality Software) – Does not apply</li> <li>• 11.2.4.5 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<p>Web: Supports</p>	<p>Nuxeo Web UI allows several ways to navigate to content. Some examples include using the breadcrumb, the dashboard, context links (e.g., username links).</p>
<p><b>2.4.6 Headings and Labels</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.6 (Web)</li> <li>• 10.2.4.6 (Non-web document)</li> <li>• 11.2.4.6 (Open Functionality Software)</li> <li>• 11.2.4.6 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p>	<p>Web: Partially supports</p>	<p>Headings and labels describe topic or purpose. Some exceptions are identified and tracked under <a href="#">WEBUI-506</a>.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b>2.4.7 Focus Visible</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.7 (Web)</li> <li>• 10.2.4.7 (Non-web document)</li> <li>• 11.2.4.7 (Open Functionality Software)</li> <li>• 11.2.4.7 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Partially supports	Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible, besides an exception on document tabs tracked under <a href="#">WEBUI-511</a> .
<p><b>3.1.2 Language of Parts</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.1.2 (Web)</li> <li>• 10.3.1.2 (Non-web document)</li> <li>• 11.3.1.2 (Open Functionality Software) – Does not apply</li> <li>• 11.3.1.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Language can always be determined on each web page. No language change happens on the same page.

Criteria	Conformance Level	Remarks and Explanations
<p><b>3.2.3 Consistent Navigation</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.3 (Web)</li> <li>• 10.3.2.3 (Non-web document) – Does not apply</li> <li>• 11.3.2.3 (Open Functionality Software) – Does not apply</li> <li>• 11.3.2.3 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<p>Web: Supports</p>	<p>Nuxeo Web UI offers a consistent navigation order across the site.</p>
<p><b>3.2.4 Consistent Identification</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.4 (Web)</li> <li>• 10.3.2.4 (Non-web document) – Does not apply</li> <li>• 11.3.2.4 (Open Functionality Software) – Does not apply</li> <li>• 11.3.2.4 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<p>Web: Supports</p>	<p>Nuxeo Web UI ensures consistent identification of functional components that appear repeatedly within a set of Web pages.</p>
<p><b>3.3.3 Error Suggestion</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.3 (Web)</li> <li>• 10.3.3.3 (Non-web document)</li> </ul>	<p>Web: Partially supports</p>	<p>A suggestion is always presented to the user when they are supposed to choose from a set of values. Examples:</p> <ul style="list-style-type: none"> <li>- On location with an autocomplete path suggester</li> <li>- On tags also with autocomplete tag suggester</li> </ul>



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 11.3.3.3 (Open Functionality Software)</li> <li>• 11.3.3.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<ul style="list-style-type: none"> <li>- Suggestions are provided as well for users, documents, vocabulary entries</li> </ul> A couple of exceptions are identified and tracked under <a href="#">WEBUI-482</a> and <a href="#">WEBUI-513</a> .
<p><a href="#">3.3.4 Error Prevention (Legal, Financial, Data)</a> (Level AA)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.3.3.4 (Web)</li> <li>• 10.3.3.4 (Non-web document)</li> <li>• 11.3.3.4 (Open Functionality Software)</li> <li>• 11.3.3.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	All editions, removal and creation actions show errors and have a confirmation step or are reversible.  Workflow processes are designed by the users and can be set up to have these mechanisms in place.  Nuxeo Server can be configured to create a new version every time metadata is edited, so that any data change is tracked and reversible.
<p><a href="#">4.1.3 Status Messages</a> (Level AA 2.1 only)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.4.1.3 (Web)</li> <li>• 10.4.1.3 (Non-web document)</li> <li>• 11.4.1.3 (Open Functionality Software)</li> <li>• 11.4.1.3 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> </ul>	Web: Partially supports	Status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus.  Some exceptions are identified and tracked under <a href="#">WEBUI-516</a> .

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>12.2.4 (Support Docs) Revised Section 508 – Does not apply</li> </ul>		

### Table 3: Success Criteria, Level AAA

Notes: Nuxeo Web UI was not evaluated against these criteria.

# Revised Section 508 Report

Notes:

## Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially supports	<p>Nuxeo Web UI mostly supports usage of a screen reader.</p> <p>Exceptions are identified and tracked under <a href="#">WEBUI-212</a>, <a href="#">WEBUI-522</a>, <a href="#">WEBUI-487</a>, <a href="#">WEBUI-489</a>, <a href="#">WEBUI-490</a>, <a href="#">WEBUI-567</a>.</p>
302.2 With Limited Vision	Partially supports	<p>Nuxeo Web UI is responsive and supports usage of the built-in browser zoom feature.</p> <p>Exceptions are identified and tracked under <a href="#">WEBUI-525</a>, <a href="#">WEBUI-511</a>, <a href="#">WEBUI-482</a>, <a href="#">WEBUI-513</a>.</p>
302.3 Without Perception of Color	Partially supports	<p>When color is used to provide meaning, other clues are added as well.</p> <p>A couple of exceptions are identified and tracked under <a href="#">WEBUI-482</a> and <a href="#">WEBUI-513</a>.</p>

Criteria	Conformance Level	Remarks and Explanations
302.4 Without Hearing	Supports	Nuxeo Web UI does not require hearing for operation.
302.5 With Limited Hearing	Supports	Nuxeo Web UI does not require hearing for operation.
302.6 Without Speech	Supports	No speech operation is required.
302.7 With Limited Manipulation	Partially supports	Nuxeo Web UI does not require fine motor control or simultaneous actions. It is timing adjustable and accessible via keyboard, with some exceptions tracked under <a href="#">WEBUI-484</a> , <a href="#">WEBUI-551</a> .
302.8 With Limited Reach and Strength	Supports	These capabilities are built-in in the browsers supported by Nuxeo Web UI.
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially supports	Nuxeo Web UI supports usage for users with these constraints.  A couple of exceptions are identified and tracked under <a href="#">WEBUI-482</a> and <a href="#">WEBUI-513</a> .

## Chapter 4: [Hardware](#)

Notes: Not applicable

## **Chapter 5: [Software](#)**

Notes: Not applicable

## **Chapter 6: [Support Documentation and Services](#)**

Notes: Not applicable

# EN 301 549 Report

Notes:

## Chapter 4: [Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially supports	<p>Nuxeo Web UI mostly supports usage of a screen reader.</p> <p>Exceptions are identified and tracked under <a href="#">WEBUI-212</a>, <a href="#">WEBUI-522</a>, <a href="#">WEBUI-487</a>, <a href="#">WEBUI-489</a>, <a href="#">WEBUI-490</a>, <a href="#">WEBUI-567</a>, <a href="#">WEBUI-483</a>, <a href="#">WEBUI-486</a>, <a href="#">WEBUI-493</a>, <a href="#">WEBUI-506</a>, <a href="#">WEBUI-516</a>.</p>
4.2.2 Usage with limited vision	Partially supports	<p>Nuxeo Web UI is responsive and supports usage of the built-in browser zoom feature.</p> <p>Exceptions are identified and tracked under <a href="#">WEBUI-525</a>, <a href="#">WEBUI-511</a>, <a href="#">WEBUI-482</a>, <a href="#">WEBUI-513</a>, <a href="#">WEBUI-543</a>, <a href="#">WEBUI-498</a>, <a href="#">WEBUI-504</a>.</p>
4.2.3 Usage without perception of color	Partially supports	<p>When color is used to provide meaning, other clues are added as well.</p>

Criteria	Conformance Level	Remarks and Explanations
		A couple of exceptions are identified and tracked under <a href="#">WEBUI-482</a> and <a href="#">WEBUI-513</a> .
4.2.4 Usage without hearing	Supports	Nuxeo Web UI does not require hearing for operation.
4.2.5 Usage with limited hearing	Supports	Nuxeo Web UI does not require hearing for operation.
4.2.6 Usage with no or limited vocal capability	Supports	No speech operation is required.
4.2.7 Usage with limited manipulation or strength	Partially supports	Nuxeo Web UI does not require fine motor control or simultaneous actions. It is timing adjustable and accessible via keyboard, with some exceptions tracked under <a href="#">WEBUI-483</a> , <a href="#">WEBUI-484</a> , <a href="#">WEBUI-551</a> , <a href="#">WEBUI-504</a> .
4.2.8 Usage with limited reach	Supports	These capabilities are built-in in the browsers supported by Nuxeo Web UI.
4.2.9 Minimize photosensitive seizure triggers	Supports	Nuxeo Web UI does not flash any elements or provides photosensitive content. Content provided by the users can also support this item.
4.2.10 Usage with limited cognition, language or learning	Partially supports	

Criteria	Conformance Level	Remarks and Explanations
		<p>Nuxeo Web UI supports usage for users with these constraints.</p> <p>A couple of exceptions are identified and tracked under <a href="#">WEBUI-482</a> and <a href="#">WEBUI-513</a>.</p>
4.2.11 Privacy	Supports	<p>Nuxeo Web UI does not require personal information to operate.</p> <p>Since it is fully used in a web browser, any operation can leverage the browser provided features: e.g., for someone using a screen reader, this person can use its private listening device.</p>

## Chapter [5: Generic Requirements](#)

Notes: Nuxeo Web UI is fully supported by the browser. All criteria should conform to browser accessibility.

## Chapter [6: ICT with Two-Way Voice Communication](#)

Notes: Not applicable.

## Chapter [7: ICT with Video Capabilities](#)

Notes: Not applicable.

## Chapter [8: Hardware](#)

Notes: Not applicable.



## **Chapter [9: Web](#)** (See [WCAG 2.x section](#))

Notes: See the [WCAG 2.x section](#).

## **Chapter [10: Non-Web Software](#)**

Notes: Not applicable.

## **Chapter [11: Software](#)**

Notes: Not applicable.

## **Chapter [12: Documentation and Support Services](#)**

Notes: Not applicable.

## **Chapter [13: ICT Providing Relay or Emergency Service Access](#)**

Notes: Not applicable.

## **Disclaimer**

©2020 Hyland Software, Inc. and its affiliates.

All Rights Reserved

Hyland, OnBase®, IACONNECT, REQCONNECT, AnyDoc®, Brainware, Acuo, Pacsgear, Nilread, Application Enabler™, Sire Technologies™, and Sire™ and other Hyland product names are registered and/or unregistered trademarks of Hyland Software, Inc. or its affiliates in the United States and other countries. Other parties' trademarks, service marks, trade names, and product names that may be used herein are the property of their respective owners.

THIS DOCUMENT IS PROVIDED FOR INFORMATION PURPOSES ONLY AND IS SUBJECT TO CHANGE WITHOUT NOTICE. HYLAND MAKES NO COMMITMENT THAT THE INFORMATION PROVIDED IN THIS DOCUMENT IS ERROR FREE OR WITHOUT DEFECTS. THIS DOCUMENT IS PROVIDED "AS IS" WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND. HYLAND EXPRESSLY DISCLAIMS ALL IMPLIED, EXPRESS, OR STATUTORY WARRANTIES, INCLUDING WITHOUT LIMITATION ANY

WARRANTIES OF NON-INFRINGEMENT, ACCURACY, MERCHANTABILITY, AND FITNESS FOR A PARTICULAR PURPOSE. Should your organization not be satisfied with this document, your sole and exclusive remedy related to this document is to not use it.

This document is not legal advice nor should it to be used as substitute for legal advice from a licensed attorney. **All information provided herein is confidential and is subject to the confidentiality obligations stated in the non-disclosure agreement or other agreement executed between your organization and Hyland or its authorized solution provider.** This document may not be used for a purpose other than that for which it was provided. This document does not supplement, modify or amend any agreement executed between your organization and Hyland or its authorized solution providers.

The information in this document may contain technical data as defined by the Export Administration Regulations (EAR) and is subject to the Export Control Laws of the U.S. Government and may be subject to the export control laws of your entity's local jurisdiction. Transfer of such data by any means to a foreign person, whether in the United States or abroad without proper export authorization or other approval from the U.S. Government and the export authority of your entity's jurisdiction is strictly prohibited. The information in this document may also contain confidential or proprietary information of Hyland Software (and in such case, may be identified as Confidential or should reasonably be understood to be confidential) which, unless otherwise prohibited by law, should be handled with the same level of care in which the recipient protects its own information of the same nature.

This document contains material from the Web Content Accessibility Guidelines (WCAG) 2.0. Copyright © 2018 W3C® (MIT, ERCIM, Keio, Beihang). This document is not the Web Content Accessibility Guidelines (WCAG). Excerpts of WCAG are referenced for document usability and for the purposes of detailing conformance with relevant criteria. A complete copy of the WCAG is available from [W3C Web Accessibility Initiative](#).