

# Goal

This document aims to improve Nuxeo Designer UI area's texts and labels for better discovery and understanding.

# Changes

The screenshot shows the Nuxeo Designer interface for configuring 'Document Pages'. The top navigation bar includes 'MODELER', 'DESIGNER', and 'TC' tabs. The left sidebar lists various content types under 'Local Types' and 'Built-in Types'. The main configuration area is divided into several sections:

- Name:** A text input field containing 'used for slot name, element name'.
- Available:** A toggle switch currently turned off.
- User will access it from:** A dropdown menu showing 'a pill tab in the header' with a preview icon.
- Label:** A text input field containing 'relevant.key.example.for.pill'.
- Order:** A text input field containing 'pill order 1 will be the default document view'.
- Element & Attributes:**
  - Element to bind:** A text input field containing 'nuxeo-user-tag' with a 'CREATE ELEMENT' button.
  - disabled:** A checkbox currently unchecked.
  - Attributes:** A text input field containing 'user' with an 'ADD ATTRIBUTE' button.
- Filters:**
  - A 'DELETE FILTERS' button.
  - A note: 'This item will be available if the following conditions are met. Delete Filters to make this item available to anyone in any condition.'
  - Current user has one of the permissions:** A text input field containing 'Browse, Edit, Can Collect, ...'.
  - Current document has one of the types:** A text input field containing 'Document, File, Note, Container, ...'.
  - Current document has facet:** A text input field containing 'Versionable, Collection, Any, ...'.
  - Current document state is:** A text input field containing 'only if the current document life cycle state'.
  - Document path starts with:** A text input field containing 'only if the current document is in some areas of your repository'.
  - Current user is member of:** A text input field containing 'only if current user is a member of given group'.
  - Custom Javascript expression:** A text input field containing 'Relevant Sample example'.

## Document Page

Name	Name
Used for slot name, element name	your contribution name
User will access it from	Contribution will be appear in
a pill tab in the header	a pill tab on the document's header
Label	Label
relevant.key.example.for.pill	key.for.label.translation
Order	Order
Pill order 1 will be the default document view	1 is the default document view
Element & Attributes	Element Binding
Element to bind	Element
Select an Element	select an element

## Filter panel

- Two sections: User has and Document has

Filters	Activation filter
Delete Filters	Remove all filters
This item will be available if the following conditions are met.	This contribution will be available if all conditions are met.
Delete Filters to make this item available to anyone in any condition.	Remove all filters to make this contribution always available.
Current user has one of the permissions	At least one of the permissions
Browse, Edit, Can Collect, ...	Use "etc." instead of "..."
Current document has one of the types	One of the types
Document, File, Note, Container, ...	Use "etc." instead of "..."
Current document has facet	One of the facets

Versionable, Collection, Any, ...	Use "etc." instead of "..."
Current document state is	Life cycle state
Only if the current document is in some areas of your repository	approved, project, etc.
Document path starts with	Path startigs with
Only if current user is a member of given group	/default-domain/workspaces, /default-domain/, etc.
Custom Javascript expression	Custom expression
Relevant Sample example	<really produce a sample example>

## Left menu items

a new Menu	A new menu item
------------	-----------------

Label	Label
Icon	Icon

tcardoso's Sandbox Nuxeo Platform 9.3 | master

MODELER DESIGNER TC

LAYOUTS UI RESOURCES

← Main Menu Pages | Remove Save

Dashboard  
Document Pages  
Left Menu Items  
Main Menu Pages  
Actions  
Themes  
Translations

Name used for slot name, element name

Available

User will access it from **a new Drawer entry**

In Menu Select existing menu

Label relevant.key.example.for.a.drawer

Order menu order 1 will be the default document view

**Element & Attributes**

Element to bind nuxeo-analytics CREATE ELEMENT

selected \_\_\_\_\_

Attributes visible

ADD ATTRIBUTE

**Filters** DEFINE FILTERS

This item will be available to anyone in any condition.  
Define Filters to display the item only if some conditions are met.

A new Drawer entry	A new drawer menu item
In Menu	Menu
Select existing menu	select existing menu

LAYOUTS UI RESOURCES
← Actions | Save

- Dashboard
- Document Pages
- Left Menu Items
- Main Menu Pages
- Actions
- Themes
- Translations

**Name** used for slot name, element name

**Available**

---

**User will access it from** a Action Slot

**Slot** Document actions, search actions, ..

**Order** 1 will be the first pill displayed

---

**Element & Attributes**

**Element to bind** nuxeo-operation-button CREATE ELEMENT

**icon** \_\_\_\_\_

**input** \_\_\_\_\_

**label** \_\_\_\_\_

**Attributes**

**operation** \_\_\_\_\_

**params** default: {}

**response** \_\_\_\_\_

ADD ATTRIBUTE

---

**Filters** \_\_\_\_\_

A Action Slot	An Action Slot
Slot	Slot
Document actions, search actions, ...	document actions, search actions, etc.